

Electronic supplementary information

NEW METHOD FOR THE SYNTHESIS OF 1,3-DIALLYL-1,1,3,3-TETRAMETHYLDISILOXANE

F. D. Krylov,^{*a} S. N. Ardabevskaia,^{a,b,c} K. A. Bezlepkina,^{a,b,c}
S. A. Milenin,^{a,b,c} and A. M. Muzafarov^a

^a *Enikolopov Institute of Synthetic Polymeric Materials, Russian Academy of Sciences,
ul. Profsoyuznaya 70, Moscow, 117393 Russia*

^b *Research Laboratory of New Silicone Materials and Technologies, Tula State Lev
Tolstoy Pedagogical University, pr. Lenina 125, Tula, Tula Oblast, 300026 Russia*

^c *Center of National Technological Initiative, Bauman Moscow State Technical
University, 2-ya Baumanskaya ul. 5, Moscow, 105005 Russia*




Figure S1. GLC curve of dicellosolvoxy(dimethyl) silane.




Figure S2. ^1H NMR spectrum of dicellosolvoxy(dimethyl)silane.




Figure S3. GLC curve of allyl(cellosolvoxy)dimethylsilane.




Figure S4. ¹H NMR spectrum of allyl(cellosolvoxy)dimethylsilane.




Figure S5. ¹³C NMR spectrum of allyl(cellosolvoxy)dimethylsilane.




Figure S6. ^{29}Si NMR spectrum of allyl(cellosolvoxy)dimethylsilane.




Figure S7. GLC curve of 1,3-diallyl-1,1,3,3-tetramethyldisiloxane.




Figure S8. ¹H NMR spectrum of 1,3-diallyl-1,1,3,3-tetramethyldisiloxane.




Figure S9. ¹³C NMR spectrum of 1,3-diallyl-1,1,3,3-tetramethyldisiloxane.




Figure S10. ^{29}Si NMR spectrum of 1,3-diallyl-1,1,3,3-tetramethyldisiloxane.